

[54] **CARRIER-BOUND PROTEIN PREPARED BY REACTING THE PROTEIN WITH AN ACYLATING OR ALKYLATING COMPOUND HAVING A CARRIER-BONDING GROUP AND REACTING THE PRODUCT WITH A CARRIER**

[75] Inventors: **Dieter Jaworek**, Weilheim, Upper Bavaria; **Michael Nelböck-Hochstetter**, Tutzing; **Klaus Beaucamp**, Tutzing; **Hans Ulrich Bergmeyer**, Tutzing; **Karl-Heinz Botsch**, Bernried, all of Germany

[73] Assignee: **Boehringer Mannheim GmbH**, Mannheim, Germany

[*] Notice: The portion of the term of this patent subsequent to Apr. 23, 1991, has been disclaimed.

[22] Filed: Nov. 30, 1973

[21] Appl. No.: 420,510

[30] **Foreign Application Priority Data**

Dec. 8, 1972 Germany..... 2260185

[52] U.S. Cl..... 260/8; 195/63; 195/68; 260/112 R

[51] Int. Cl.²..... C08L 89/00

[58] Field of Search..... 260/8, 112 R; 195/63, 195/68, DIG. 11

[56]

References Cited

UNITED STATES PATENTS

3,574,062	4/1971	Sato	260/7.5
3,619,371	9/1971	Crook et al.	260/112
3,759,890	9/1973	Wilson	260/112
3,764,477	10/1973	Lehmann	260/112
3,775,253	11/1973	Dieter et al.	260/8
3,788,948	1/1974	Kagedal et al.	260/112
3,806,417	4/1974	Beaucamp et a.	260/112

OTHER PUBLICATIONS

Chem. Absts., vol. 78: 73970 m; "Enzymically . . . Matrix . . . Protease . . . Surface," Franks.

Primary Examiner—Edward M. Woodberry
Attorney, Agent, or Firm—Burgess, Dinklage & Sprung

[57]

ABSTRACT

Carrier-bound proteins are prepared by reacting a protein in aqueous solution with a coupling compound having at least one group capable of acylating or alkylating proteins and at least one additional group capable of producing a bond with a carrier material, and reacting the resulting product with a carrier material, optionally forming the carrier material in situ by polymerization of a monomer or monomer mixture in the presence of said product.

17 Claims, No Drawings